



# Filter Housing Heaters

Removable heaters for  
Biopharmaceutical Applications

## Product Information

Sartorius Stedim housing heaters are a cost-effective and low maintenance solution for biopharmaceutical processes requiring superior thermal control. The housing heaters prevent vapor condensation in sterile vent and process filters and piping systems and help maintain preferred material viscosities.



### Introduction

The housing heaters offer tight temperature control and advanced functionality, while complying with strict safety regulations. The ELTC-14 control unit is a stand alone solution, which features a user friendly digital display and a high | low temperature alarm relay. It is CE tested and marked for both electrical and thermal safety.

### Applications

Sartorius Stedim housing heaters are used in conjunction with sterile vent and process filter housings and are ideally suited for processes such as:

- Bioprocessing and Pharmaceutical Process Fluids
- Fermentation
- Product Recovery
- Water for Injection
- Filtration and Purification Processes
- Skidded Systems
- Tanks and Vessels

### Features

- Digital temperature control
- Digital temperature display
- Adjustable temperature limit value (80°C adjusted)
- Adjustable hysteresis ( $\pm 3^\circ\text{C}$  adjusted)
- Alarm relay
- Water proof classification IP65 (controller), IP54 (heating jacket)
- Temperature monitoring by PT 100-2 wire
- Silicone insulation inside-Safe to touch
- Corrosion resistant
- CE approved and marked

## Technical Data

### Specifications


Supply Voltage	230 Volt +/- 10%, 50 Hz
Switching Capacity	16 Ampere   230 Volt
Measuring Input	PT 100 DIN 2-Wire
Adjustment Range	0...+100°C
Ambient Range	-30...+60°C
Protection Type Controller	IP65 Protection Class (I)
Protection Type heating jacket	IP54 Protection Class (II)
Outside material	Glass fabric (PTFE coated)
CE Conformity	2004/108/EC 2006/95/EC 2011/65/EC

#### Lengths of Cables:

Power supply cable (black)	3.0 m
Data cable (red)	2.0 m

## Ordering Information

Order Code	Description
<b>Mini-housing:</b>	
7ZE---0029	5" (size 9), Height 120 mm, 40 W max.
<b>1-round housing:</b>	
7ZE---0030	5", Height 155 mm, 50 W max.
7ZE---0031	10", Height 270 mm, 100 W max.
7ZE---0032	20", Height 540 mm, 200 W max.
7ZE---0033	30", Height 810 mm, 300 W max.
7ZE---0034	40", Height 1080 mm, 400 W max.
<b>3-round housing:</b>	
7ZE---0035	10", Height 270mm, 150 W max.
7ZE---0036	20", Height 540 mm, 200 W max.
7ZE---0037	30", Height 810 mm, 300 W max.
7ZE---0038	40", Height 1080 mm, 400 W max.
<b>5-round housing:</b>	
7ZE---0039	10", Height 270 mm, 200 W max.
7ZE---0040	20", Height 540 mm, 300 W max.
7ZE---0041	30", Height 810 mm, 400 W max.
7ZE---0042	40", Height 1080 mm, 500 W max.



Control Unit ELTC-14 (1) | Strip fastener on the back side (2)

Sartorius Stedim Biotech GmbH  
August-Spindler-Strasse 11  
37079 Goettingen, Germany  
Phone +49.551.308.0  
www.sartorius-stedim.com

USA Toll-Free +1.800.368.7178  
Argentina +54.11.4721.0505  
Brazil +55.11.4362.8900  
Mexico +52.55.5562.1102  
UK +44.1372.737159  
France +33.442.845600  
Italy +39.055.63.40.41  
Spain +34.913.586.098  
Russian Federation +7.812.327.53.27  
Japan +81.3.4331.4300  
China +86.21.6878.2300

Specifications subject to change without notice.  
Copyright Sartorius Stedim Biotech GmbH.  
Printed in the EU on paper bleached without chlorine.  
Publication No.: S--2207-e180205  
Order No.: 85037-542-11  
Ver. 02 | 2018